## NSN 5310-01-353-3636

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-353-3636 **Thread Class: Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.062 inches nut Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate (floating) **Nut Length:** 0.948 inches **Nut Height:** 0.250 inches **Plate Thickness:** 0.047 inches Plate Width: Between 0.303 inches and 0.328 inches **Nut Mounting Provision:** Dimpled holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Mounting Hole Center To Base:** Between 0.303 inches and 0.328 inches Center To Center Distance Between Mounting Holes Along Length: Between 0.686 inches and 0.690 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unjf Thready Qty Per Inch (tpi): **Thread Size:** 

32

0.190 inches

Material:

Iron alloy 660

## **Material Specification:**

Ams5525 assn standard single material response or ams5732 assn standard single material response or ams5737 assn standard single material response

## NSN 5310-01-353-3636

Plate Self-locking Nut - Page 2 of 2



Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Specification Data:
80205-nas1770 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A021a0