NSN 5310-01-354-5784

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-354-5784 **Thread Class: Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.378 inches base Lubrication: Dry film lubricant **Overall Height:** 0.890 inches **Mounting Hole Diameter:** Between 0.130 inches and 0.135 inches **Nut Style:** Plate **Nut Length:** 1.296 inches **Nut Height:** Between 0.596 inches and 0.703 inches **Plate Thickness:** 0.015 inches Plate Width: 0.827 inches **Nut Counterbore Depth:** 0.100 inches base **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.495 inches and 0.505 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.998 inches and 1.002 inches **Thread Series:** Unif **Features Provided:** Floating nut Thready Qty Per Inch (tpi):

24

Thread Size:

0.312 inches

NSN 5310-01-354-5784

Plate Self-locking Nut - Page 2 of 2



| Material: |
|-------------------------------------------------------------------|
| Steel comp 316 washer |
| Material Specification: |
| Mil-s-5059 military specification single material response washer |
| Surface Treatment: |
| Passivate washer |
| Surface Treatment Specification: |
| Qq-p-35 federal specification single treatment response washer |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A021a0 |

Mil-std (military Standard):

Mil-r-6855 spec.