NSN 5310-01-357-6236

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-357-6236 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.230 inches nut Lubrication: Dry film lubricant **Overall Height:** 0.454 inches **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 0.762 inches **Nut Height:** 0.454 inches **Plate Thickness:** 0.030 inches **Nut Counterbore Depth:** 0.250 inches nut **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style: Distance From Aperture Center To Mounting Hole Center:** Between 0.339 inches and 0.349 inches **Center To Center Distance Between Mounting Holes Along Width:** Between 0.484 inches and 0.488 inches **Thread Series:** Unjf **Features Provided:** Floating nut and removable collar Thready Qty Per Inch (tpi):

32 **Thread Size:** 0.190 inches Material: Iron alloy 660 shell

NSN 5310-01-357-6236

Plate Self-locking Nut - Page 2 of 2



Material Specification:

Ams 5525 assn standard single material response shell or ams 5737 assn standard single material response shell or ams 5731 assn standard single material response shell

_		_				
<u>ن</u>	urfac	ו סי	raa	tm	Δn	
J	ai iav	<i>-</i>	ıca		CII	L.

Passivate shell

Surface Treatment Specification:

Mil-I-8937 military specification single treatment response shell

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-I-8937 spec.