## NSN 5310-01-358-3666

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-358-3666

Thread Class:
2b
Thread Direction:
Right-hand
Locking Feature:
Prevailing torque all metal design
Counterbore Diameter:
0.254 inches first end
Mounting Hole Diameter:
Between 0.098 inches and 0.103 inches
Nut Style:
Plate
Nut Length:
Between 1.286 inches and 1.306 inches
Nut Height:
Between 0.637 inches and 0.657 inches
Plate Thickness:
Between 0.028 inches and 0.036 inches
Plate Width:
Between 0.534 inches and 0.554 inches
Nut Counterbore Depth:
0.437 inches first end and 0.457 inches first end
Nut Mounting Provision:
Straight holes
Mounting Hole Arrangement Style:
2 holes
Distance From Aperture Center To Mounting Hole Center:
Between 0.495 inches and 0.505 inches
Center To Center Distance Between Mounting Holes Along Length:
Between 0.300 inches and 0.314 inches
Thread Series:
Unjf
Thready Qty Per Inch (tpi):
28
Thread Size:
0.250 inches
Special Features:
Floating nut
Material:
Iron alloy 660 shell
Material Specification:
Ams 5525 assn standard single material response shell or ams 5732 assn standard single material response shell or ams 5737 assn
standard single material response shell

## NSN 5310-01-358-3666

Plate Self-locking Nut - Page 2 of 2

A021a0



Surface Treatment:
Passivate shell
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response shell
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: