NSN 5310-01-364-7104

Plate Self-locking Nut - Page 1 of 2





. . .

Thread Class:
3b
Thread Direction:
Right-hand
Locking Feature:
Free-running all metal design
Counterbore Diameter:
0.194 inches first end
Lubrication:
Dry film lubricant
Mounting Hole Diameter:
Between 0.098 inches and 0.103 inches
Nut Style:
Plate (floating)
Nut Length:
0.948 inches
Nut Height:
0.424 inches
Plate Thickness:
Between 0.028 inches and 0.036 inches
Plate Width:
0.474 inches
Nut Counterbore Depth:
0.250 inches first end
Nut Mounting Provision:
Straight holes
Mounting Hole Arrangement Style:
2 holes
Distance From Aperture Center To Mounting Hole Center:
0.100 inches
Center To Center Distance Between Mounting Holes Along Length:
Between 0.686 inches and 0.690 inches
Thread Series:
Unjf
Features Provided:
Floating nut
Thready Qty Per Inch (tpi):
32
Thread Size:
0.190 inches
Material:

Iron alloy 660

NSN 5310-01-364-7104

Plate Self-locking Nut - Page 2 of 2



Material Specification:

Ams 5525 assn standard single material response or ams 5731 assn standard single material response or ams 5732 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A021a0