

View Online at <https://aerobasegroup.com/nsn/5310-01-365-3176>

**Thread Class:**

3b

**Thread Direction:**

Right-hand

**Locking Feature:**

Prevailing torque all metal design

**Lubrication:**

Wax

**Small End Diameter:**

Between 1.504 inches and 1.544 inches

**Drive Point Depth:**

0.093 inches

**Nut Style:**

Round

**Nut Diameter:**

Between 1.702 inches and 1.722 inches

**Nut Thickness:**

Between 0.436 inches and 0.466 inches

**Drive Point Width:**

Between 0.172 inches and 0.204 inches

**Undercut Thickness:**

Between 0.068 inches and 0.090 inches

**Drive Point Quantity:**

4

**Tempurature Rating:**

Between 75.0 degrees fahrenheit and 100.0 degrees fahrenheit

**Thread Series:**

Unjf

**Thready Qty Per Inch (tpi):**

12

**Hardness Rating:**

Between 30.0 rockwell c and 36.0 rockwell c

**Thread Size:**

1.187 inches

**Product Name:**

Navy special project

**Material:**

Plastic polyamide locking insertsteel comp 4130 nut

**Material Specification:**

Zytel-103 cagec 81205 mfr ref single material response locking insertams 6370 assn standard single material response nut or ams 6731 assn standard single material response nut

**Surface Treatment:**

Cadmium nut and chromate nut

**Surface Treatment Specification:**

Qq-p-416 type 2, cl 3 federal specification single treatment response nut

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A021a0