NSN 5310-01-369-6704

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-369-6704 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Free-running all metal design Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 0.801 inches **Nut Height:** 0.281 inches **Plate Thickness:** 0.140 inches Plate Width: Between 0.350 inches and 0.500 inches **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.276 inches and 0.286 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.560 inches and 0.564 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unif **Features Provided:** Floating nut Thready Qty Per Inch (tpi): **Hardness Rating:** 49.0 rockwell c **Thread Size:** 0.250 inches

Material: Iron alloy 660

NSN 5310-01-369-6704

Plate Self-locking Nut - Page 2 of 2



Ams5525 assn standard 1st material response or ams 5735 assn standard 2nd material response or ams 5737 assn standard 3rd material response

Precious Material And Location:

Entire surface silver silver

Precious Material:

Silver

Surface Treatment:

Silver

Surface Treatment Specification:

Ms 2410 assn standard single treatment response

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A021a0