

View Online at <https://aerobasegroup.com/nsn/5310-01-373-3275>

**Thread Class:**

3b

**Thread Direction:**

Right-hand

**Locking Feature:**

Prevailing torque all metal design

**Counterbore Diameter:**

0.195 inches first end and 0.200 inches first end

**Lubrication:**

Dry film lubricant

**Mounting Hole Diameter:**

Between 0.098 inches and 0.103 inches

**Nut Style:**

Plate

**Nut Length:**

1.375 inches

**Nut Height:**

0.750 inches

**Plate Thickness:**

Between 0.023 inches and 0.027 inches

**Plate Width:**

0.865 inches

**Nut Counterbore Depth:**

0.843 inches first end and 0.853 inches first end

**Nut Mounting Provision:**

Straight holes

**Mounting Hole Arrangement Style:**

2 holes

**Distance From Aperture Center To Mounting Hole Center:**

Between 0.557 inches and 0.567 inches

**Center To Center Distance Between Mounting Holes Along Length:**

Between 1.123 inches and 1.127 inches

**Temperature Rating:**

450.0 degrees fahrenheit

**Thread Series:**

Unjf

**Features Provided:**

Floating nut

**Thready Qty Per Inch (tpi):**

32

**Thread Size:**

0.190 inches

**Special Features:**

Three shims bonded to base of shell, cres, each 0.010 in. Thk; also nut plate protrudes at one end

**Material:**

Steel comp 631 spring

**Material Specification:**

Ams 5731 assn standard single material response nut or ams 5732 assn standard single material response nut or ams 5737 assn standard single material response nut

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A021a0