## NSN 5310-01-375-0655

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-375-0655 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.195 inches first end and 0.200 inches first end Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate (floating) **Nut Length:** Between 1.365 inches and 1.385 inches **Nut Height:** 0.720 inches **Plate Thickness:** Between 0.023 inches and 0.027 inches Plate Width: 0.865 inches **Nut Counterbore Depth:** 0.843 inches first end and 0.853 inches first end **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style: Distance From Aperture Center To Mounting Hole Center:** Between 0.557 inches and 0.567 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 1.123 inches and 1.127 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unif **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 32

**Thread Size:** 

0.190 inches

## NSN 5310-01-375-0655

Plate Self-locking Nut - Page 2 of 2



ΝЛ	ate	۱ri	2	•
ıVI	alt	71 I	aı	١.

Steel comp 301 washer or steel comp 302 washer or steel comp 303 washer

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A021a0