## NSN 5310-01-389-1668

Blind Rivet Plain Nut - Page 1 of 2

**Demilitarization:** 

No Fiig: A021a0



View Online at https://aerobasegroup.com/nsn/5310-01-389-1668 **Thread Class:** 3b **Thread Direction:** Right-hand **Head Style:** Flat countersunk **Head Diameter:** Between 0.460 inches and 0.490 inches **Nut Style:** Blind rivet w/smooth round shank **Nut Diameter:** Between 0.328 inches and 0.332 inches **Nut Length:** Between 0.735 inches and 0.765 inches **Err Default:** +0.140/+0.200 inches **Shank End Type:** Open **Thread Series:** Unf Thready Qty Per Inch (tpi): 28 **Thread Size:** 0.250 inches **Head Countersink Angle:** Between 99.0 degrees and 101.0 degrees Material: Aluminum alloy 6053 or aluminum alloy 6061 **Material Specification:** Astm b316 assn standard 1st material response or qq-a-430 federal specification 1st material response or qq-a-225/8 federal specification 2nd material response **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625, ty2 military specification single treatment response Shelf Life: N/a **Unit Of Measure:** 

## NSN 5310-01-389-1668

Blind Rivet Plain Nut - Page 2 of 2



Mil-std (military Standard):

Mil-a-8625 spec.