NSN 5310-01-395-6644

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-395-6644 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design Lubrication: Dry film lubricant **Overall Height:** 1.020 inches **Mounting Hole Diameter:** Between 0.130 inches and 0.135 inches **Nut Style:** Plate (floating) **Nut Length:** 1.430 inches **Nut Height:** 1.020 inches **Plate Thickness:** 0.020 inches Plate Width: 0.910 inches **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.557 inches and 0.567 inches Center To Center Distance Between Mounting Holes Along Length: Between 1.123 inches and 1.127 inches **Tempurature Rating:** 250.0 degrees fahrenheit **Thread Series:** Unjf **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 24 **Hardness Rating:** 46.0 rockwell c

Thread Size: 0.375 inches

NSN 5310-01-395-6644

Plate Self-locking Nut - Page 2 of 2



Material:

Steel comp 1030 shell or steel comp 1035 shell or steel comp 1040 shell or steel comp 1045 shell or steel comp 1050 shell or steel comp 1055 shell or steel comp 1060 shell or steel comp 1060 shell or steel comp 1060 shell or steel comp 1070 shell

Material Specification:

Mil-r-6855, cl 1, gr 60 military specification single material response seal

Surface Treatment:

Cadmium shell and chromate shell

Surface Treatment Specification:

Qq-p-416, type 2, cl 2 federal specification single treatment response shell

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-r-6855 spec.