## NSN 5310-01-444-6592

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-444-6592 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.317 inches nut Lubrication: Dry film lubricant **Overall Height:** 0.388 inches **Mounting Hole Diameter:** Between 0.125 inches and 0.135 inches **Nut Style:** Plate **Nut Length:** 1.396 inches **Nut Height:** 0.388 inches **Plate Thickness:** Between 0.036 inches and 0.044 inches Plate Width: 0.650 inches **Nut Counterbore Depth:** 0.070 inches nut **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.495 inches and 0.505 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.310 inches and 0.314 inches **Thread Series:** Thready Qty Per Inch (tpi):

Unif **Features Provided:** Floating nut 24 **Thread Size:** 0.312 inches

## NSN 5310-01-444-6592

Plate Self-locking Nut - Page 2 of 2

Material:

A021a0



or ams 5737 assn

Iron alloy 660 shell
Material Specification:
Ams 5525 assn standard single material response shell or ams 5732 assn standard single material response shell
standard single material response shell
Surface Treatment:
Passivate nut
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response nut
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig: