
## NSN 5310-01-444-7380

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-444-7380 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.194 inches first end Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate (floating) **Nut Length:** 0.948 inches **Nut Height:** 0.744 inches **Plate Thickness:** Between 0.028 inches and 0.036 inches Plate Width: 0.474 inches **Nut Counterbore Depth:** 0.562 inches first end **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.339 inches and 0.349 inches Center To Center Distance Between Mounting Holes Along Length: Between 0.686 inches and 0.690 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unjf **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 32 **Thread Size:** 



## NSN 5310-01-444-7380

Plate Self-locking Nut - Page 2 of 2



Ams 5525 assn standard single material response shell or ams 5732 assn standard single material response shell

**Surface Treatment:** 

Passivate shell

**Surface Treatment Specification:** 

Qq-p-35 federal specification single treatment response shell

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

A021a0