## NSN 5310-01-461-5993



Hexagon Self-locking Nut - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5310-01-461-5993 **Thread Class:** 2b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design Lubrication: Dry film lubricant **Nut Style:** Hexagon **Nut Height:** Between 0.212 inches and 0.288 inches Width Across Flats: Between 0.428 inches and 0.438 inches **Tempurature Rating:** 250.0 degrees fahrenheit **Thread Series:** Unf Thready Qty Per Inch (tpi): 28 **Thread Size:** 0.250 inches **Bearing Surface Type:** Chamfered **Bearing Surface Finish:** 125.0 microinches Material: Aluminum alloy 2017 or aluminum alloy 2024 or aluminum alloy 6061 or aluminum alloy 6262 **Material Specification:** Qq-a-225/5 federal specification single material response or qq-a-225/6 federal specification single material response or qq-a-225/8 federal specification single material response or qq-a-225/10 federal specification single material response **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625, type 2 military specification single treatment response

Shelf Life: N/a

**Unit Of Measure:** 

**Demilitarization:** 

No Fiig:

A021a0

## NSN 5310-01-461-5993

Hexagon Self-locking Nut - Page 2 of 2



Mil-std (military Standard):

Mil-a-8625 spec.