NSN 5310-01-467-5704

Gang Channel Self-locking Nut Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-467-5704 **Thread Class: Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.194 inches first end Lubrication: Dry film lubricant **Overall Length:** 9.3140 inches **Overall Width:** 0.416 inches **Nut Style:** Gang channel, self locking **Channel Style:** Straight type Assemblyheight: 0.250 inches **Channel Height:** 0.250 inches **Nut Spacing:** Between 1.240 inches and 1.260 inches **Nut Counterbore Depth:** 0.062 inches first end **End Application:** C-17a aircraft **Tempurature Rating:** 450.0 degrees fahrenheit **Nut Quantity: Thread Series:** Unjf **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 32 **Hardness Rating:**

49.0 rockwell c
Thread Size:
0.190 inches

NSN 5310-01-467-5704

Gang Channel Self-locking Nut Assembly - Page 2 of 2



| NЛ | 2 | te | rı | 2 | |
|----|---|----|----|---|--|
| | | | | | |

Steel comp 1035 nut or steel comp 1040 nut or steel comp 1042 nut

Material Specification:

Qq-s-635 federal specification all material responses nut or astm a29 assn standard all material responses nut

Surface Treatment:

Passivate channel

Surface Treatment Specification:

Qq-p-416, ty2, cl2 federal specification single treatment response nut

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0