## NSN 5310-01-472-5225

Blind Rivet Self-locking Nut - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5310-01-472-5225



**Thread Class:** 3b **Thread Direction:** Right-hand **Head Style:** Eliptical countersunk **Head Height:** 0.034 inches **Locking Feature:** Prevailing torque all metal design **Head Major Diameter:** Between 0.329 inches and 0.333 inches **Head Minor Diameter:** Between 0.278 inches and 0.282 inches Lubrication: Dry film lubricant **Nut Style:** Blind rivet w/smooth round shank **Nut Diameter:** Between 0.239 inches and 0.241 inches **Nut Length:** 0.635 inches **Nut Grip Range:** +0.220/+0.280 inches **Shank End Type:** Open **End Application:** Vertical stabilizar; f/a-18e/f hornet aircraft **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unif Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.190 inches **Head Major Countersink Angle:** Between 75.75 degrees and 76.25 degrees **Head Minor Countersink Angle:** Between 59.75 degrees and 60.25 degrees Material:

Steel comp 304 or steel comp 305

## NSN 5310-01-472-5225

Blind Rivet Self-locking Nut - Page 2 of 2



	Materia	al Sp	ecific	ation:
--	---------	-------	--------	--------

Qq-s-763, cond a federal specification single material response

**Surface Treatment:** 

Passivate

**Surface Treatment Specification:** 

Qq-p-35 federal specification single treatment response

**Specification Data:** 

80205-nas1734 professional/industrial association standard

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A021a0