

View Online at <https://aerobasegroup.com/nsn/5310-01-490-0053>

**Thread Class:**

3b

**Thread Direction:**

Right-hand

**Mounting Hole Diameter:**

Between 0.128 inches and 0.135 inches

**Nut Style:**

Plate (floating)

**Nut Length:**

1.150 inches

**Nut Height:**

Between 0.515 inches and 0.555 inches

**Plate Thickness:**

Between 0.025 inches and 0.035 inches

**Plate Width:**

0.710 inches

**Nut Mounting Provision:**

Straight holes

**Mounting Hole Arrangement Style:**

2 holes

**Distance From Aperture Center To Mounting Hole Center:**

0.438 inches

**Center To Center Distance Between Mounting Holes Along Length:**

Between 0.873 inches and 0.877 inches

**End Application:**

F-22 raptor

**Thread Series:**

Unf

**Thready Qty Per Inch (tpi):**

24

**Thread Size:**

0.313 inches

**Product Name:**

Nut plate, floating, flat beam lock, two lug, for lockheed f-22

**Special Features:**

The finish on the base is glass bead blast and passivated

**Material:**

Stainless steel base

**Material Specification:**

Ams 5732 assn standard 1st material response nut or ams 5737 assn standard 2nd material response nut

**Precious Material And Location:**

Nut plated silver

**Precious Material:**

Silver

**Surface Treatment:**

Passivate base

**Surface Treatment Specification:**

Ams-qq-p-35 assn standard single treatment response base

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A021a0

**Mil-std (military Standard):**

Mil-s-25043 spec.