## NSN 5310-01-494-7692



Gang Channel Self-locking Nut Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5310-01-494-7692 **Thread Class: Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.194 inches nut Lubrication: Dry film lubricant **Overall Length:** 71.250 inches **Overall Width:** 0.443 inches **Nut Style:** A20 gang channel, self locking **Channel Style:** Straight type Assemblyheight: 0.312 inches **Channel Height:** 0.203 inches **Nut Spacing:** 1.250 inches **Tempurature Rating:** 350.0 degrees fahrenheit **Nut Quantity:** 57 **Thread Series:** Unif **Features Provided:** 

Floating nut

Thready Qty Per Inch (tpi):

32

**Thread Size:** 

0.190 inches

Material:

Iron alloy 660 nut

#### **Material Specification:**

Qq-a-250/13, 7075 federal specification 1st material response or qq-a-250/5, 2024 federal specification 2nd material response or qq-a-250/12, 7075 federal specification 3rd material response channel

#### **Surface Treatment:**

Anodize and paint channel

# NSN 5310-01-494-7692

Gang Channel Self-locking Nut Assembly - Page 2 of 2



### **Surface Treatment Specification:**

Mil-a-8625 military specification 1st treatment response	and mil-prf-85582,	type 1, cl c2 military	specification 2nd treatment res	ponse
channel				

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-a-8625 spec.