## NSN 5310-01-497-4171

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-497-4171 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 0.948 inches **Nut Height:** 0.250 inches **Plate Thickness:** 0.032 inches Plate Width: 0.290 inches **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.339 inches and 0.349 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.686 inches and 0.690 inches **End Application:** Kc-130j ae2100d3 engine-contractor suppt.; engine model code ae2100d3 for kc-13j **Tempurature Rating:** 800.0 degrees fahrenheit **Thread Series:** Unif **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 32 **Hardness Rating:** 49.0 rockwell c **Thread Size:** 

Agav

0.190 inches

**Criticality Code Justification:** 

## NSN 5310-01-497-4171

Plate Self-locking Nut - Page 2 of 2

Material:



Iron alloy 660
Material Specification:
Ams 5732 assn standard single material response or ams 5525 assn standard single material response or ams 5737 assn standard single
material response
Precious Material:
Silver
Surface Treatment:
Silver
Surface Treatment Specification:
Ams 2410 assn standard single treatment response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A021a0