# NSN 5310-01-503-3112

Plate Self-locking Nut - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5310-01-503-3112



## Thread Class:

3b

**Thread Direction:** 

Right-hand

## Locking Feature:

Prevailing torque all metal design

## Counterbore Diameter:

0.379 inches second end

## Mounting Hole Diameter:

Between 0.130 inches and 0.135 inches

Nut Style:

Plate (floating)

#### Nut Length:

1.292 inches

Nut Height:

#### 0.430 inches

Plate Thickness:

Between 0.045 inches and 0.055 inches

Plate Width:

0.760 inches

#### Nut Counterbore Depth:

0.075 inches second end

#### Mounting Hole Arrangement Style:

2 holes

#### Distance From Aperture Center To Mounting Hole Center:

Between 0.495 inches and 0.505 inches

#### Center To Center Distance Between Mounting Holes Along Length:

Between 0.995 inches and 1.005 inches

#### **End Application:**

F-22 aircraft

#### **Tempurature Rating:**

400.0 degrees celsius

#### **Thread Series:**

Unjf

Thready Qty Per Inch (tpi):

24

### Thread Size:

0.375 inches

Material:

Steel comp xm-28 clip

#### Material Specification:

Astm a313, type xm-28, armconitronic 32 assn standard single material response clip

## NSN 5310-01-503-3112

Plate Self-locking Nut - Page 2 of 2



Surface Treatment:

Passivate shell

#### Surface Treatment Specification:

Mil-s-5002 military specification single treatment response shell

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-s-5002 spec.