## NSN 5310-01-508-2086

**Surface Treatment Specification:** 

Gang Channel Self-locking Nut Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-508-2086 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.254 inches nut Lubrication: Dry film lubricant **Overall Length:** 72.050 inches **Overall Width:** 0.615 inches **Nut Style:** Gang channel, self locking **Channel Style:** Straight type Assemblyheight: 0.341 inches **Nut Spacing:** Between 1.365 inches and 1.385 inches **End Application:** F-22 raptor **Nut Quantity:** 52 **Thread Series:** Unjf Thready Qty Per Inch (tpi): 28 **Thread Size:** 0.250 inches **Special Features:** To be stocked in 72.050 inch lengths only Material: Titanium channel **Material Specification:** Ams5525 assn standard single material response nut or ams5732 assn standard single material response nut or ams5737 assn standard single material response nut **Surface Treatment:** Passivate nut and copper nut

Mil-s-5002 military specification 1st treatment response nut and ams2418 copper plate assn standard 2nd treatment response nut

## NSN 5310-01-508-2086

Gang Channel Self-locking Nut Assembly - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A021a0
Mil-std (military Standard):

Mil-s-5002 spec.