

View Online at <https://aerobasegroup.com/nsn/5310-01-509-5684>

Thread Class:

3b

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque all metal design

Counterbore Diameter:

0.194 inches nut and 0.405 inches nut

Overall Height:

0.405 inches

Mounting Hole Diameter:

0.098 inches

Nut Style:

Plate

Nut Length:

0.840 inches

Nut Height:

0.268 inches

Plate Thickness:

0.030 inches

Plate Width:

0.443 inches

Nut Counterbore Depth:

0.070 inches nut

Nut Mounting Provision:

Straight holes

Mounting Hole Arrangement Style:

2 holes

Distance From Aperture Center To Mounting Hole Center:

Between 0.290 inches and 0.300 inches

Center To Center Distance Between Mounting Holes Along Length:

Between 0.588 inches and 0.592 inches

Temperature Rating:

Between -65.0 degrees fahrenheit and 225.0 degrees fahrenheit

Thread Series:

Unjc

Features Provided:

Floating nut

Thready Qty Per Inch (tpi):

32

Thread Size:

0.164 inches

Special Features:

Steel nut, shell and washer; fuel resistant seal (350 degrees); dry film lubricant

Material:

Steel washer

Material Specification:

Mil-r-6855, cl 1, grade 60 military specification 1st material response seal

Surface Treatment:

Cadmium shell

Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification 2nd treatment response shell

Specification Data:

80205-nas1474 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-r-6855 spec.