## NSN 5310-01-522-0331

Blind Rivet Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-522-0331 **Thread Class:** 3b **Thread Direction:** Right-hand **Head Style:** Eliptical countersunk **Head Height:** 0.034 inches **Locking Feature:** Prevailing torque all metal design **Head Major Diameter:** Between 0.310 inches and 0.332 inches **Head Minor Diameter:** 0.257 inches Lubrication: Dry film lubricant **Nut Style:** Blind rivet w/smooth round shank **Nut Diameter:** Between 0.239 inches and 0.241 inches **Nut Length:** Between 0.691 inches and 0.721 inches **Nut Grip Range:** +0.160/+0.220 inches **Shank End Type:** Closed **End Application:** F-16 aircraft **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unif Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.190 inches **Head Major Countersink Angle:** Between 75.0 degrees and 76.0 degrees

Between 75.0 degrees and 76.0 degrees

Head Minor Countersink Angle:

Between 59.0 degrees and 61.0 degrees

Product Name:

Nut plate

# NSN 5310-01-522-0331

Blind Rivet Self-locking Nut - Page 2 of 2



	-		
NЛ	ate	rıa	
W	aıc	ııa	••

Steel comp 304 or steel comp 305

### **Material Specification:**

Qq-s-763, cond a federal specification all material responses

#### **Surface Treatment:**

Cadmium and passivate

### **Surface Treatment Specification:**

Qq-p-416, type 2, class 2 federal specification single treatment response and qq-p-35 federal specification single treatment response

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A021a0