

View Online at <https://aerobasegroup.com/nsn/5310-01-529-4505>

Mounting Hole Diameter:

Between 0.102 inches and 0.108 inches

Nut Style:

Plate nut spacer

Nut Length:

0.969 inches

Thru-hole Diameter:

Between 0.260 inches and 0.270 inches

Plate Thickness:

0.016 inches

Plate Width:

0.406 inches

Nut Mounting Provision:

Straight holes

Mounting Hole Arrangement Style:

2 holes

Distance From Aperture Center To Mounting Hole Center:

Between 0.341 inches and 0.347 inches

Center To Center Distance Between Mounting Holes Along Length:

Between 0.686 inches and 0.690 inches

End Application:

Vertical stabilizer

Special Features:

2 coats of epoxy primer

Material:

Steel comp 321 or steel comp 347 or steel comp 302

Material Specification:

Ams 5510 assn standard 1st material response or ams 5512 assn standard 2nd material response or ams 5516 assn standard 3rd material response

Surface Treatment:

Passivate and plastic epoxy

Surface Treatment Specification:

Qq-p-35 federal specification 1st treatment response and mil-prf-85582 military specification 2nd treatment response or mil-prf-23377.Mil-prf-23377type 1 military specification 2nd treatment response

Specification Data:

80205 - nas463 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-prf-85582 spec.