NSN 5310-01-536-8166

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-536-8166

| Thread Class. |
|--|
| Thread Class: |
| A3b |
| Thread Direction: |
| Right-hand |
| Locking Feature: |
| Free-running all metal design |
| Nut Style: |
| Plate (floating) |
| Nut Length: |
| 1.022 inches |
| Nut Height: |
| Between 0.432 inches and 0.472 inches |
| Plate Thickness: |
| Between 0.020 inches and 0.030 inches |
| Plate Width: |
| 0.544 inches |
| Nut Counterbore Depth: |
| 0.140 inches base |
| End Application: |
| Aar-55 navy fighter |
| Drilled Hole Diameter: |
| 0.120 inches |
| Hole Type And Quantity: |
| 0 drilled |
| Tempurature Rating: |
| 450.0 degrees celsius |
| Thread Series: |
| Unjf |
| Thready Qty Per Inch (tpi): |
| 28 |
| Thread Size: |
| 0.250 inches |
| Product Name: |
| Navy special project |
| Material: |
| Steel comp 4140 or steel comp 8740 |
| Material Specification: |
| Mil-s-5626 military specification 1st material response or mil-s-6049 military specification 2nd material response |
| Surface Treatment: |
| Cadmium |
| Surface Treatment Specification: |
| Qq-p-416, tyii, cl2 federal specification single treatment response |

NSN 5310-01-536-8166

Plate Self-locking Nut - Page 2 of 2



| N/a | |
|-------------------|--|
| Unit Of Measure: | |
| | |
| Demilitarization: | |
| No | |
| Fiig: | |
| A021a0 | |

Mil-std (military Standard):

Mil-s-5626 spec.

Shelf Life: