NSN 5310-01-537-3104

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-537-3104 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.194 inches Lubrication: Dry film lubricant **Mounting Hole Diameter:** 0.098 inches **Nut Style:** Plate **Nut Length:** 0.948 inches **Nut Height:** 0.250 inches **Plate Thickness:** 0.047 inches Plate Width: 0.328 inches **Nut Counterbore Depth:** 0.060 inches **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style: Distance From Aperture Center To Mounting Hole Center:** 0.344 inches **Center To Center Distance Between Mounting Holes Along Length:** 0.688 inches **End Application:** Kc-135 **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unjf Thready Qty Per Inch (tpi):

Thread Size: 0.190 inches

NSN 5310-01-537-3104

Plate Self-locking Nut - Page 2 of 2



Pi	ro	du	ct	Na	m	ο.

Nut, plate, self-locking, two lug, plain, floating and csk, 450f and 900f

Material:

Steel comp 1030 or steel comp 1033 or steel comp 1035 or steel comp 1038 or steel comp 1040 or steel comp 1042 or steel comp 1045 or steel comp 1046 or steel comp 1050 or steel comp 1060 or steel comp 1064 or steel comp 1065 or steel comp 1070

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0