NSN 5310-01-542-6958

Spline Self-locking Nut - Page 1 of 2





Thread Class: 3b **Thread Direction: Right-hand** Locking Feature: Prevailing torque all metal design **Pilot Diameter:** Between 0.296 inches and 0.304 inches **Pilot Length:** 0.161 inches Lubrication: Dry film lubricant Nut Style: Spline (floating) Nut Height: 0.499 inches **End Application:** Misc parts asds hull structure Width Across Flats: 0.405 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unjf **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 32 Hardness Rating: Not rated **Thread Size:** 0.190 inches **Product Name:** Nut, floating, self-locking, attached retention element (a.R.E.), 450 degrees f, cres (a-286), 125 ksi ftu, replaceable nut element Material: Steel comp 631 bracket **Material Specification:** Ams5639 assn standard 1st material response Surface Treatment: Passivate **Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

NSN 5310-01-542-6958

Spline Self-locking Nut - Page 2 of 2



Specification Or Standard:

Ms14210 reference number

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A021a0