Spline Self-locking Nut - Page 1 of 2

**Thread Class:** 

View Online at https://aerobasegroup.com/nsn/5310-01-547-6702



# 3b **Thread Direction: Right-hand** Locking Feature: Prevailing torque all metal design **Pilot Diameter:** Between 0.309 inches and 0.315 inches **Pilot Length:** 0.347 inches **Counterbore Diameter:** 0.235 inches base Lubrication: Dry film lubricant Nut Style: Spline (floating) Nut Length: 0.587 inches Nut Height: 0.617 inches **End Application:** Arr list: aircraft, osprey v-22a, marine corps Width Across Flats: 0.405 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unjf **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 32 Hardness Rating: 49.0 rockwell c **Thread Size:** 0.190 inches **Product Name:** Inavy: nu (1), self-locking **Special Features:** Includes removeable nut, ms14214-06 Material: Steel comp 304 boss or steel comp 305 boss

# NSN 5310-01-547-6702

Spline Self-locking Nut - Page 2 of 2



Material Specification:

Ams 5085 assn standard single material response shell

#### Surface Treatment:

Cadmium and chromate

# Surface Treatment Specification:

Qq-p-416, type 2, class 2 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

---

### Demilitarization:

No

## Fiig:

A021a0