## NSN 5310-01-585-2006

Plate Self-locking Nut - Page 1 of 2





View Online at https://aerobasegroup.com/nsn/5310-01-585-2006

Thread Class: 3b Thread Direction: Right-hand Locking Feature: Prevailing torque all metal design Nut Style: Plate (floating) Nut Length: 0.617 inches
Thread Direction: Right-hand Locking Feature: Prevailing torque all metal design Nut Style: Plate (floating) Nut Length:
Right-hand Locking Feature: Prevailing torque all metal design Nut Style: Plate (floating) Nut Length:
Locking Feature: Prevailing torque all metal design Nut Style: Plate (floating) Nut Length:
Prevailing torque all metal design Nut Style: Plate (floating) Nut Length:
Nut Style: Plate (floating) Nut Length:
Plate (floating) Nut Length:
Nut Length:
-
() 61 / inches
Nut Height:
Between 0.696 inches and 0.726 inches
Plate Thickness:
0.036 inches
Plate Width:
0.557 inches
End Application:
Deck instl
Tempurature Rating:
800.0 degrees fahrenheit
Thread Series:
Unjf
Features Provided:
Floating nut
Thready Qty Per Inch (tpi):
28
Thread Size:
0.250 inches
Product Name:
Dome nut, self locking, corner, side-by-side rivet holes, floating spacer 160 ksi, 800 degrees f
Special Features:
The two drilled holes are 0.098 in (min) and 0.103 in (max) in diameter
Material:
Stainless steel shell
Material Specification:
Ams5525 assn standard single material response shell
Precious Material And Location:
Nut is silver plated silver
Precious Material:
Silver
Surface Treatment:
Passivate shell

## NSN 5310-01-585-2006

Plate Self-locking Nut - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

