Hexagon Self-locking Nut - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-01-591-9140

Thread Class: 3b Thread Direction: Right-hand Locking Feature: Prevailing torque with metallic insert Nut Style: Hexagon Nut Height: 0.117 mils and 0.241 centimeters End Application: 2320-01-544-9638 truck, utility Width Across Flats: Between 0.362 inches and 0.376 inches Tempurature Rating: 250.0 degrees fahrenheit Thread Series: Unc Thread Series: Unc Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shefl Life: N/a Unt Of Measure:
Thread Direction: Right-hand Locking Feature: Prevailing torque with metallic insert Nut Style: Hexagon Nut Height: 0.117 mils and 0.241 centimeters End Application: 2320-01-544-9638 truck, utility Width Across Flats: Between 0.362 inches and 0.376 inches Tempurature Rating: 250.0 degrees fahrenheit Thread Series: Unc Thread Series: Unc Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Right-hand Right-hand Locking Feature: Prevailing torque with metallic insert Nut Style: Hexagon Nut Height: 0.117 mils and 0.241 centimeters End Application: 2320-01-544-9638 truck, utility Width Across Flats: Between 0.362 inches and 0.376 inches Tempurature Rating: 250.0 degrees fahrenheit Thread Series: Unc Thread Series: Unc Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single treatment response Surface Treatment Specification: Astm b633, type li, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Locking Feature:Prevailing torque with metallic insertNut Style:HexagonNut Height:0.117 mils and 0.241 centimetersEnd Application:2320-01-544-9638 truck, utilityWidth Across Flats:Between 0.362 inches and 0.376 inchesTempurature Rating:250.0 degrees fahrenheitThread Series:UncThread Size:0.190 inchesBearing Surface Type:FlatProduct Name:Nut, self-locking, hexagon all-metal locking featureMaterial:SteelMaterial Specification:Sae j995, steel grade 5 assn standard single material responseSurface Treatment Specification:Astm b633, type ii, fe/zn 8 assn standard single treatment responseShelf Life:N/a
Prevailing torque with metallic insert Nut Style: Hexagon Nut Height: 0.117 mils and 0.241 centimeters End Application: 2320-01-544-9638 truck, utility Width Across Flats: Between 0.362 inches and 0.376 inches Tempurature Rating: 250.0 degrees fahrenheit Thread Series: Unc Thready Qty Per Inch (tpi): 24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Nut Style: Hexagon Nut Height: 0.117 mils and 0.241 centimeters End Application: 2320-01-544-9638 truck, utility Width Across Flats: Between 0.362 inches and 0.376 inches Tempurature Rating: 250.0 degrees fahrenheit Thread Series: Unc Thread Series: Unc Thread Yer Inch (tpi): 24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Hexagon Nut Height: 0.117 mils and 0.241 centimeters End Application: 2320-01-544-9638 truck, utility Width Across Flats: Between 0.362 inches and 0.376 inches Tempurature Rating: 250.0 degrees fahrenheit Thread Series: Unc Thread Series: Unc Thready Qty Per Inch (tpi): 24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Nut Height: 0.117 mils and 0.241 centimeters End Application: 2320-01-544-9638 truck, utility Width Across Flats: Between 0.362 inches and 0.376 inches Tempurature Rating: 250.0 degrees fahrenheit Thread Series: Unc Thread Series: Unc Thready Qty Per Inch (tpi): 24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
0.117 mils and 0.241 centimeters End Application: 2320-01-544-9638 truck, utility Width Across Flats: Between 0.362 inches and 0.376 inches Tempurature Rating: 250.0 degrees fahrenheit Thread Series: Unc Thread Series: Unc Thready Qty Per Inch (tpi): 24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
End Application: 2320-01-544-9638 truck, utility Width Across Flats: Between 0.362 inches and 0.376 inches Tempurature Rating: 250.0 degrees fahrenheit Thread Series: Unc Thread Series: Unc Thready Qty Per Inch (tpi): 24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
2320-01-544-9638 truck, utility Width Across Flats: Between 0.362 inches and 0.376 inches Tempurature Rating: 250.0 degrees fahrenheit Thread Series: Unc Thread Series: Unc Thready Qty Per Inch (tpi): 24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Width Across Flats: Between 0.362 inches and 0.376 inches Tempurature Rating: 250.0 degrees fahrenheit Thread Series: Unc Thready Qty Per Inch (tpi): 24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Between 0.362 inches and 0.376 inches Tempurature Rating: 250.0 degrees fahrenheit Thread Series: Unc Thready Qty Per Inch (tpi): 24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Tempurature Rating: 250.0 degrees fahrenheit Thread Series: Unc Thready Qty Per Inch (tpi): 24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
250.0 degrees fahrenheit Thread Series: Unc Thready Qty Per Inch (tpi): 24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Thread Series: Unc Thready Qty Per Inch (tpi): 24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Unc Thready Qty Per Inch (tpi): 24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Thready Qty Per Inch (tpi): 24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
24 Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Thread Size: 0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
0.190 inches Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Bearing Surface Type: Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Flat Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Product Name: Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Nut, self-locking, hexagon all-metal locking feature Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Material: Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Steel Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Material Specification: Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Sae j995, steel grade 5 assn standard single material response Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Surface Treatment: Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Zinc Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Surface Treatment Specification: Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Astm b633, type ii, fe/zn 8 assn standard single treatment response Shelf Life: N/a
Shelf Life: N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A021a0