

View Online at <https://aerobasegroup.com/nsn/5310-01-611-3961>

**Thread Class:**

2b

**Thread Direction:**

Right-hand

**Locking Feature:**

Prevailing torque all metal design

**Nut Style:**

Plate

**Nut Length:**

Between 0.78 inches and 0.82 inches

**Distance From Base To Center Of Aperture:**

Between 0.29 inches and 0.33 inches

**Nut Height:**

Between 0.78 inches and 0.82 inches

**Plate Thickness:**

Between 0.040 inches and 0.060 inches

**Plate Width:**

Between 1.48 inches and 1.52 inches

**End Application:**

Kc-135 acft

**Drilled Hole Diameter:**

Between 0.098 inches and 0.103 inches

**Hole Type And Quantity:**

2 drilled

**Thread Series:**

Unf

**Thready Qty Per Inch (tpi):**

32

**Thread Size:**

0.1900 inches

**Product Name:**

Nut, spacer plate, two lug, light duty threads in flange end

**Material:**

Aluminum alloy 2014

**Material Specification:**

Ams-qq-a-367 national std/spec single material response or qq-a-367 federal specification single material response or astm b247 assn standard single material response

**Surface Treatment:**

Anodize or chromium

**Surface Treatment Specification:**

Mil-a-8625, ty i federal specification single treatment response or mil-c-5541, cl 1a federal standard single treatment response

**Specification Data:**

81205-bacn10dz manufacturers standard

**Specification Or Standard:**

30 length

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A021a0

**Mil-std (military Standard):**

Mil-a-8625 spec.