
NSN 5310-01-611-3961

Plate Self-locking Nut - Page 1 of 2





Thread Class: 2b **Thread Direction: Right-hand** Locking Feature: Prevailing torque all metal design Nut Style: Plate Nut Length: Between 0.78 inches and 0.82 inches **Distance From Base To Center Of Aperture:** Between 0.29 inches and 0.33 inches Nut Height: Between 0.78 inches and 0.82 inches **Plate Thickness:** Between 0.040 inches and 0.060 inches Plate Width: Between 1.48 inches and 1.52 inches **End Application:** Kc-135 acft **Drilled Hole Diameter:** Between 0.098 inches and 0.103 inches Hole Type And Quantity: 2 drilled **Thread Series:** Unf Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.1900 inches **Product Name:** Nut, spacer plate, two lug, light duty threads in flange end Material: Aluminum alloy 2014 **Material Specification:** Ams-qq-a-367 national std/spec single material response or qq-a-367 federal specification single material response or astm b247 assn standard single material response Surface Treatment:

Anodize or chromium

Surface Treatment Specification:

Mil-a-8625, ty i federal specification single treatment response or mil-c-5541, cl 1a federal standard single treatment response

Specification Data:

81205-bacn10dz manufacturers standard

NSN 5310-01-611-3961

Plate Self-locking Nut - Page 2 of 2



Specification Or Standard:

30 length

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A021a0

Mil-std (military Standard):

Mil-a-8625 spec.