NSN 5310-01-615-6396



Plate Self-locking Nut - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5310-01-615-6396 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Mounting Hole Diameter:** Between 0.130 inches and 0.135 inches **Nut Style:** Plate (floating) **Nut Length:** 1.292 inches **Nut Height:** 0.391 inches **Plate Thickness:** 0.045 inches Plate Width: 0.609 inches **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.495 inches and 0.505 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.998 inches and 1.002 inches **End Application:** 7-610000000-1 **Tempurature Rating:** 800.0 degrees fahrenheit

Thread Series: Unif Thready Qty Per Inch (tpi): 24 **Hardness Rating:** 45.0 rockwell c **Thread Size:** 0.3125 inches **Product Name:** Nut, self-locking, plate, two lug, 125 ksi ftu, 800deg f Material: Stainless steel

NSN 5310-01-615-6396

Plate Self-locking Nut - Page 2 of 2



Cres a286 iaw ams5525, ams5732 or ams5737 national std/spec single material response

Surface Treatment:

Silver

Surface Treatment Specification:

Ams2410 national specification single treatment response

Specification Data:

80205-nas1870 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0