NSN 5310-01-630-0888

Plate Nut Spacer - Page 1 of 2



| view Online at https://aerobasegroup.com/nsn/5510-01-650-0666 |
|--|
| Mounting Hole Diameter: |
| 0.250 inches |
| Nut Style: |
| Plate nut spacer |
| Nut Length: |
| 1.312 inches |
| Thru-hole Diameter: |
| 0.448 inches |
| Plate Thickness: |
| 0.032 inches |
| Plate Width: |
| 0.625 inches |
| Nut Mounting Provision: |
| Countersunk holes |
| Mounting Provision Location: |
| Opposite nut projection side |
| Mounting Hole Arrangement Style: |
| 2 holes |
| Distance From Aperture Center To Mounting Hole Center: |
| 0.500 inches |
| Center To Center Distance Between Mounting Holes Along Length: |
| 0.312 inches |
| Drilled Hole Diameter: |
| 0.137 inches |
| Hole Type And Quantity: |
| 2 drilled |
| Features Provided: |
| Floating nut |
| Hole Configuration Style: |
| Configuration g |
| Mounting Hole Countersink Angle: |
| 100.0 degrees |
| Product Name: |
| Nut, spacer, plate plain |
| Material: |
| Steel comp 321 or steel comp 347 or steel comp 302 |
| Material Specification: |
| Ams5510 assn standard single material response or ams5512 assn standard single material response or ams5516 assn standard single |
| material response |
| Surface Treatment: |
| Passivate |

Qq-p-35 federal specification single treatment response

Surface Treatment Specification:

NSN 5310-01-630-0888

Plate Nut Spacer - Page 2 of 2



| _ | | | | | |
|----|----|----|-----|------|--|
| CI | ~~ | 14 | I i | ife: | |
| J. | 16 | | | HE. | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0