

View Online at <https://aerobasegroup.com/nsn/5315-00-005-0431>

**First End Style:**

Chamfered

**Second End Style:**

Radius

**Pinlength:**

Between 1.490 inches and 1.510 inches

**Pindiameter:**

Between 0.3126 inches and 0.3128 inches

**Second End Corner Radius:**

Between 0.039 inches and 0.104 inches

**First End Taper Length:**

0.303 inches

**Second End Taper Length:**

0.053 inches

**Features Provided:**

Casehardened

**Second End Relationship With First End:**

Not identical

**Hardness Rating:**

47.0 rockwell c and 58.0 rockwell c

**Shear Strength:**

20000 double pound

**First End Taper Angle:**

Between 4.0 degrees and 16.0 degrees

**Second End Taper Angle:**

Between 4.0 degrees and 12.0 degrees

**Special Features:**

Radius end may be chamfered 25.0 degrees

**Material:**

Steel

**Material Specification:**

Astm a29 assn standard single material response

**Surface Treatment:**

Phosphate zinc

**Surface Treatment Specification:**

Dod-p-16232 ty z cl 2 national specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0