

NSN 5315-00-007-3128 Headless Shoulder Pin - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5315-00-007-3128 First End Style: Slotted Second End Style: Square **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.250 inches **Shank Length:** 0.375 inches **Shoulder Diameter:** 0.150 inches **Shank Diameter:** Between 0.062 inches and 0.066 inches **Overall Length:** 0.875 inches First End Slot Width: Between 0.023 inches and 0.031 inches First End Slot Depth: Between 0.041 inches and 0.049 inches Thready Qty Per Inch (tpi): 56 Second End Relationship With First End: Identical **Thread Size:**

0.086 inches

Second Shank Diameter:

0.086 inches

First End Location:

Threaded end

First End Outer Radius:

Between 0.041 inches and 0.049 inches

Second Shank Length:

0.430 inches

Material:

Steel comp 303

Material Specification:

Astm a582 assn standard single material response

Surface Treatment:

Passivate

NSN 5315-00-007-3128

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Fiig:

No

A212a0