## NSN 5315-00-024-7826

First End Style:

**Shoulder Diameter:** 

Chamfered **Shank Length:**2.062 inches

0.750 inchesShank Diameter:0.375 inchesOverall Length:

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-024-7826

Between 3.594 inches and 3.656 inches
Undercut Diameter:
0.625 inches
Undercut Width:
0.188 inches
Hole Arrangement Style:
One end w/two drilled holes
First Hole Diameter:
0.344 inches
Second Hole Diameter:
0.125 inches
Distance From Centerline Of Hole To End Of Pin:
0.375 inches
First End Taper Length:
0.062 inches
Second End Relationship With First End:
Identical
Hardness Rating:
38.0 rockwell c and 42.0 rockwell c
First End Location:
Both ends
First End Taper Angle:
45.0 degrees
Surface Finish:
125.000 microinches
Angle Between Centerline Of Holes:
Angle Between Centerline Of Holes:
Angle Between Centerline Of Holes: 90.0 degrees
Angle Between Centerline Of Holes: 90.0 degrees Material:
Angle Between Centerline Of Holes: 90.0 degrees Material: Steel comp 4140
Angle Between Centerline Of Holes:  90.0 degrees  Material:  Steel comp 4140  Surface Treatment:
Angle Between Centerline Of Holes:  90.0 degrees  Material: Steel comp 4140  Surface Treatment: Zinc and chromate

## NSN 5315-00-024-7826

Headless Shoulder Pin - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A212a0