

View Online at <https://aerobasegroup.com/nsn/5315-00-050-1384>

First End Style:

Chamfered

Second End Style:

Slotted

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

0.173 inches

Shank Length:

0.203 inches

Shoulder Diameter:

Between 0.137 inches and 0.142 inches

Shank Diameter:

0.112 inches

Overall Length:

0.609 inches

Undercut Diameter:

0.078 inches

Undercut Width:

0.031 inches

Internal Drive Style:

Slot

Second End Slot Width:

0.039 inches

First End Taper Length:

0.030 inches

Second End Slot Depth:

0.058 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.112 inches

First End Location:

Chamfered end

First End Taper Angle:

45.0 degrees

Special Features:

1st end thd; 2nd end spherical radius

Material:

Stainless steel

Material Specification:

Qq-s-763, cl 303, cond a federal specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-f-14072, fin. E300 military specification single treatment response

Style Designator:

Undercut

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A212a0

Mil-std (military Standard):

Mil-f-14072 spec.