

View Online at <https://aerobasegroup.com/nsn/5315-00-053-1175>

First End Style:

Chamfered

Second End Style:

Chamfered

Overall Length:

1.560 inches

Diameter:

Between 0.6250 inches and 0.6255 inches

Effective Length:

1.030 inches

Undercut Diameter:

0.470 inches

Undercut Width:

0.100 inches

Undercut Radius:

0.410 inches

First End Taper Length:

0.030 inches

Second End Taper Length:

0.250 inches

Features Provided:

Casehardened

Second End Relationship With First End:

Not identical

First End Location:

Both ends

First End Taper Angle:

15.0 degrees

Surface Finish:

63.0 microinches outside diameter

Second End Taper Angle:

45.0 degrees

Material:

Steel comp 1015 or steel comp 1016 or steel comp 1018 or steel comp 1020 or steel comp 1022 or steel comp 1025

Material Specification:

Astm a108 assn standard all material responses

Surface Treatment:

Phosphate zinc

Surface Treatment Specification:

Mil-c-16232 type 2 military specification single treatment response

Style Designator:

Groove

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-c-16232 spec.