NSN 5315-00-053-1268

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-053-1268

First End Style:

Chamfered

Second End Style:

Slotted

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

0.219 inches

Shank Length:

0.343 inches

Shoulder Diameter:

0.190 inches

Shank Diameter:

Between 0.1402 inches and 0.1405 inches

Overall Length:

Between 0.552 inches and 0.562 inches

Internal Drive Style:

Slot

Second End Slot Width:

Between 0.030 inches and 0.040 inches

First End Taper Length:

0.094 inches

Second End Slot Depth:

Between 0.060 inches and 0.070 inches

Second End Relationship With First End:

Not identical

Thread Size:

0.190 inches

First End Location:

Shank end

First End Taper Angle:

60.0 degrees

Surface Finish:

63.000 microinches large shank

Material:

Steel comp w110

Material Specification:

Qq-t-580 federal specification single material response

Surface Treatment:

Oxide

NSN 5315-00-053-1268

Headless Shoulder Pin - Page 2 of 2



Surface Treatment Specification:

Mil-c-13924 cl 2 military specification single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-c-13924 spec.