

View Online at <https://aerobasegroup.com/nsn/5315-00-059-5845>

**First End Style:**

Chamfered

**Second End Style:**

Chamfered

**Pinlength:**

Between 1.990 inches and 2.010 inches

**Pindiameter:**

Between 0.6251 inches and 0.6253 inches

**First End Taper Length:**

0.357 inches

**Second End Taper Length:**

Between 0.062 inches and 0.125 inches

**Features Provided:**

Casehardened

**Second End Relationship With First End:**

Not identical

**Hardness Rating:**

47.0 rockwell c and 58.0 rockwell c

**Shear Strength:**

78000 double pound

**First End Taper Angle:**

Between 4.0 degrees and 16.0 degrees

**Second End Taper Angle:**

Between 20.0 degrees and 30.0 degrees

**Special Features:**

Small chamfer end may have 0.062 in. Min 0.125 in. Maximum radius in lieu of chamfer

**Material:**

Steel

**Material Specification:**

Astm a29 assn standard single material response

**Surface Treatment:**

Phosphate zinc

**Surface Treatment Specification:**

Dod-p-16233 ty z cl 2 national specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0