## NSN 5315-00-060-9169

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-060-9169

view Online at https://defobdsegfoup.com/nsh/0010-000-0100	
First End Style:	
Chamfered	
Second End Style:	
Square	
Thread Class:	
3a	
Thread Direction:	
Right-hand	
Thread Length:	
0.490 inches	
Shank Length:	
1.150 inches	
Shoulder Width Across Flats:	
0.750 inches	
Shank Diameter:	
Between 0.4820 inches and 0.4835 inches	
Overall Length:	
10.005 inches	
First End Taper Length:	
0.040 inches	
Thready Qty Per Inch (tpi):	
20	
Second End Relationship With First End:	
Not identical	
Thread Size:	
0.438 inches	
Second Shank Diameter:	
Between 0.617 inches and 0.619 inches	
First End Location:	
Threaded end	
First End Taper Angle:	
45.0 degrees	
Second Shank Length:	
8.730 inches	
Material:	
Steel comp 4140	
Material Specification:	
Mil-s-5626 military specification single material response	
Surface Treatment:	
Chromium	
Surface Treatment Specification:	

Qq-c-320 type 1 cl 2 federal specification single treatment response

## NSN 5315-00-060-9169

Headless Shoulder Pin - Page 2 of 2

Style Designator:

Shoulder

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-s-5626 spec.

