

View Online at <https://aerobasegroup.com/nsn/5315-00-094-1960>

**First End Style:**

Chamfered

**Second End Style:**

Chamfered

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

0.376 inches

**Shank Length:**

Between 0.438 inches and 0.688 inches

**Shoulder Width Across Flats:**

0.625 inches

**Shank Diameter:**

Between 0.300 inches and 0.312 inches

**Overall Length:**

1.188 inches

**First End Taper Length:**

Between 0.032 inches and 0.313 inches

**Second End Taper Length:**

Between 0.032 inches and 0.313 inches

**Thready Qty Per Inch (tpi):**

24

**Second End Relationship With First End:**

Not identical

**Thread Size:**

0.312 inches

**Second Shank Diameter:**

Between 0.300 inches and 0.312 inches

**First End Location:**

Threaded end

**First End Taper Angle:**

45.0 degrees

**Surface Finish:**

125.000 microinches

**Second End Taper Angle:**

70.0 degrees

**Second Shank Length:**

Between 0.438 inches and 0.688 inches

**Material:**

Steel comp 4130

**Material Specification:**

Aisi assn standard single material response

**Surface Treatment:**

Cadmium

**Style Designator:**

Shoulder

**Thread Series Designator:**

Unf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A212a0