NSN 5315-00-094-1960

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-094-1960 First End Style: Chamfered Second End Style: Chamfered **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.376 inches **Shank Length:** Between 0.438 inches and 0.688 inches **Shoulder Width Across Flats:** 0.625 inches **Shank Diameter:** Between 0.300 inches and 0.312 inches **Overall Length:** 1.188 inches First End Taper Length: Between 0.032 inches and 0.313 inches **Second End Taper Length:** Between 0.032 inches and 0.313 inches Thready Qty Per Inch (tpi): 24 Second End Relationship With First End: Not identical **Thread Size:** 0.312 inches **Second Shank Diameter:** Between 0.300 inches and 0.312 inches First End Location: Threaded end First End Taper Angle: 45.0 degrees **Surface Finish:** 125.000 microinches **Second End Taper Angle:** 70.0 degrees

Second Shank Length:
Between 0.438 inches and 0.688 inches
Material:

Steel comp 4130

NSN 5315-00-094-1960

Headless Shoulder Pin - Page 2 of 2



Material Specification:
Aisi assn standard single material response
Surface Treatment:
Cadmium
Style Designator:
Shoulder
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A212a0