## NSN 5315-00-102-4891

Headless Shoulder Pin - Page 1 of 2

First End Style:

Second End Style:

**Thread Class:** 

Right-hand

**Thread Direction:** 

Thread Length: 0.290 inches

Chamfered

Radius

За



View Online at https://aerobasegroup.com/nsn/5315-00-102-4891

Shank Length:
0.290 inches
Shoulder Width Across Flats:
0.375 inches
Shank Diameter:
0.187 inches
Overall Length:
1.000 inches
Undercut Diameter:
Between 0.133 inches and 0.143 inches
Undercut Width:
Between 0.090 inches and 0.120 inches
Second End Corner Radius:
Between 0.030 inches and 0.060 inches
First End Taper Length:
Between 0.030 inches and 0.060 inches
Second End Relationship With First End:
Not identical
Thread Size:
0.190 inches
Second Shank Diameter:
0.187 inches
First End Location:
Threaded end
First End Taper Angle:
Between 40.0 degrees and 50.0 degrees
Second Shank Length:
0.528 inches
Material:
Steel comp 4130
Material Specification:
Mil-s-6758 military specification single material response

## NSN 5315-00-102-4891

Headless Shoulder Pin - Page 2 of 2



Style Designator:
Undercut
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A212a0

Mil-std (military Standard):

Mil-s-6758 spec.