NSN 5315-00-114-1533

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-114-1533

First End Style:
Chamfered
Second End Style:
Counterbored w/o through hole
Shank Length:
Between 0.077 inches and 0.081 inches
Shoulder Diameter:
0.312 inches
Shank Diameter:
Between 0.254 inches and 0.256 inches
Overall Length:
1.882 inches
Undercut Diameter:
Between 0.247 inches and 0.249 inches
Undercut Width:
Between 0.069 inches and 0.073 inches
Hole Arrangement Style:
Both end drilled
First Hole Diameter:
Between 0.053 inches and 0.057 inches
Second Hole Diameter:
Between 0.053 inches and 0.057 inches
Distance From Centerline Of Hole To End Of Pin:
0.390 inches
Center To Center Distance Between Holes:
1.215 inches
Second End Counterbore Diameter:
0.106 inches
First End Taper Length:
0.031 inches
Second End Relationship With First End:
Not identical
First End Location:
Chamfered end
First End Taper Angle:
45.0 degrees
Special Features:
Item has a total of 10 holes spaced equally
Material:
Plastic polytetrafluoroethylene
Material Specification:
Mil.n.19468, group a military specification single material response

Mil-p-19468, group a military specification single material response

NSN 5315-00-114-1533

Headless Shoulder Pin - Page 2 of 2

Style Designator:

Undercut

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-p-19468 spec.

