## NSN 5315-00-114-1535

Headless Shoulder Pin - Page 1 of 2



Headless Shoulder Pin - Page 1 of 2	
View Online at https://aerobasegroup.com/nsn/5315-00-114-1535	
First End Style:	
Chamfered	
Second End Style:	
Counterbored w/o through hole	
Shank Length:	
Between 0.077 inches and 0.081 inches	
Shoulder Diameter:	
0.312 inches	
Shank Diameter:	
Between 0.254 inches and 0.256 inches	
Overall Length:	
1.882 inches	
Undercut Diameter:	
Between 0.247 inches and 0.249 inches	
Undercut Width:	
Between 0.069 inches and 0.073 inches	
Hole Arrangement Style:	
Both end drilled	
First Hole Diameter:	
Between 0.053 inches and 0.057 inches	
Second Hole Diameter:	
Between 0.053 inches and 0.057 inches	
Distance From Centerline Of Hole To End Of Pin:	
0.492 inches	
Center To Center Distance Between Holes:	
1.080 inches	
Second End Counterbore Diameter:	
0.106 inches	
First End Taper Length:	
0.031 inches	
Second End Relationship With First End:	
Not identical	
First End Location:	
Chamfered end	

First End Taper Angle:

45.0 degrees

**Special Features:** 

Item has a total of 9 holes equally spaced

Material:

Plastic polytetrafluoroethylene

**Material Specification:** 

Mil-p-19468, group a military specification single material response

## NSN 5315-00-114-1535

Headless Shoulder Pin - Page 2 of 2



Style Designator:
Undercut
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Deminiarization.
No

Mil-std (military Standard):

Mil-p-19468 spec.