NSN 5315-00-118-0635

Headless Shoulder Pin - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5315-00-118-0635 First End Style: Square **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: 0.234 inches **Shoulder Width Across Flats:** 0.1873 inches **Overall Length:** 1.4060 inches First Step Diameter: 0.3750 inches First Step Length: 0.062 inches **Second Step Diameter:** 0.1873 inches **Second Step Length:** 0.078 inches **Third Step Diameter:** 0.175 inches Third Step Length: 0.296 inches First End Taper Length: 0.031 inches Second End Relationship With First End: Identical **Thread Size:** 0.320 inches First End Location: Unthreaded end First End Taper Angle: 45.0 degrees **Surface Finish:** 125.0 microinches **Special Features:** Rooved from first step end to head end, 3; first, second and third undercut width 0.031 in. W, 0.175 in. Diameter Material: Aluminum alloy

Material Specification:

Qq-a-268, alloy 2024, t4 federal specification single material response

NSN 5315-00-118-0635

Headless Shoulder Pin - Page 2 of 2



Surface Treatment:
Chromate
Surface Treatment Specification:
Mil-c-5541, type 1 military specification single treatment response
Style Designator:
Shoulder
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A212a0
Mil-std (military Standard):

Mil-c-5541 spec.