

View Online at <https://aerobasegroup.com/nsn/5315-00-121-8773>

**Head Style:**

Flat

**Chamfer Length:**

Between 0.030 inches and 0.060 inches

**Diameter:**

Between 1.248 inches and 1.249 inches

**Under Head Length:**

Between 2.990 inches and 3.010 inches

**Hardness Rating:**

40.0 rockwell c and 45.0 rockwell c

**Pin Chamfer Angle:**

Between 43.0 degrees and 47.0 degrees

**Pin Head Diameter:**

Between 2.365 inches and 2.385 inches

**Surface Finish:**

32.0 microinches outside diameter

**Special Features:**

4 drilled holes in head equally spaced 0.285 in. Min 0.300 in. Maximum diameter shank chamfered at bearing surface of head 10.0 degrees min 15.0 degrees max

**Height:**

Between 0.240 inches and 0.260 inches

**Material:**

Steel comp w108 or steel comp w109 or steel comp w110 or steel comp w112 or steel comp w209 or steel comp w210 or steel comp w310

**Material Specification:**

Qq-s-00779, grade 3 federal specification all material responses

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Mil-std-171, finish 5.3.1.2 or 5.3.2.2 military specification single treatment response

**Style Designator:**

Straight

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A212a0

**Mil-std (military Standard):**

Mil-std-171 spec.