

View Online at <https://aerobasegroup.com/nsn/5315-00-133-7968>

First End Style:

Chamfered

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

0.500 inches

Shank Length:

0.781 inches

Shoulder Diameter:

Between 0.618 inches and 0.620 inches

Shank Diameter:

0.375 inches

Overall Length:

5.062 inches

Hole Arrangement Style:

One end drilled

First Hole Diameter:

Between 0.187 inches and 0.190 inches

Distance From Centerline Of Hole To End Of Pin:

0.531 inches

First End Taper Length:

0.062 inches

Second End Relationship With First End:

Identical

Thread Size:

0.375 inches

First End Location:

Shoulder end

First End Taper Angle:

45.0 degrees

Material:

Steel comp 1015 or steel comp 1025

Material Specification:

Qq-s-834 federal specification all material responses

Surface Treatment:

Phosphate

Surface Treatment Specification:

Mil-p-16232, ty m, cl 2 military specification single treatment response

Style Designator:

Shoulder

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A212a0

Mil-std (military Standard):

Mil-p-16232 spec.